Server and Storage Virtualization



Raj Jain
Washington University in Saint Louis
Saint Louis, MO 63130
Jain@cse.wustl.edu

These slides and audio/video recordings of this class lecture are at:

http://www.cse.wustl.edu/~jain/cse570-18/

http://www.cse.wustl.edu/~jain/cse570-18

©2018 Rai Jain



- 1. Why Virtualize?
- 2. Server Virtualization Concepts
- 3. Storage Virtualization
- 4. Open Virtualization Format (OVF)

Note: Network Virtualization will be discussed in subsequent lectures

Virtualization

"Virtualization means that Applications can use a resource without any concern for where it resides, what the technical interface is, how it has been implemented, which platform it uses, and how much of it is available."

-Rick F. Van der Lans in Data Virtualization for Business Intelligence Systems


5 Reasons to Virtualize

- 1. Sharing: Break up a large resource Large Capacity or high-speed E.g., Servers
- 2. Isolation: Protection from other tenants E.g., Virtual Private Network
- 3. Aggregating: Combine many resources in to one, e.g., storage
- 4. Dynamics: Fast allocation, Change/Mobility, load balancing, e.g., virtual machines
- 5. Ease of Management ⇒ Easy

 distribution, deployment, testing

 Washington University in St. Louis

 Mashington University in St. Louis



Advantages of Virtualization

- Minimize hardware costs (CapEx)
 Multiple virtual servers on one physical hardware
- Easily move VMs to other data centers
 - > Provide disaster recovery. Hardware maintenance.
 - > Follow the sun (active users) or follow the moon (cheap power)
- □ Consolidate idle workloads. Usage is bursty and asynchronous.

Increase device utilization

- Conserve powerFree up unused physical resources
- Easier automation (Lower OpEx)
 Simplified provisioning/administration of hardware and software
- Scalability and Flexibility: Multiple operating systems

Ref: http://en.wikipedia.org/wiki/Platform_virtualization

Ref: K. Hess, A. Newman, "Practical Virtualization Solutions: Virtualization from the Trenches," Prentice Hall, 2009,

ISBN:0137142978 Washington University in St. Louis

http://www.cse.wustl.edu/~jain/cse570-18

©2018 Raj Jain


Virtualization in Computing


- **■** Storage:
 - \gt Virtual Memory \Rightarrow L1, L2, L3, ... \Rightarrow Recursive
 - > Virtual CDs, Virtual Disks (RAID), Cloud storage
- **□** Computing:
 - > Virtual Desktop \Rightarrow Virtual Server \Rightarrow Virtual Datacenter Thin Client \Rightarrow VMs \Rightarrow Cloud
- **Networking**: Plumbing of computing
 - Virtual Channels, Virtual LANs,
 Virtual Private Networks





Server Virtualization Concepts






- Host OS: Runs on the bare metal
- □ Guest OS: Runs on the host OS, e.g., Windows XP Mode on Win 7
- ☐ Hypervisor: Software to support multiple virtual machines
 - > Type 1: Runs on bare metal, e.g., Xen, VMware ESXi
 - > Type 2: Runs on a host OS, e.g., MS Virtual PC
 - > Type 0: Both 1 and 2, e.g., Linux KVM

Ref: http://en.wikipedia.org/wiki/Hypervisor

Disk Arrays

- □ In data centers, all disks are external to the server
 ⇒Data accessible by other servers in case of a server failure
- □ JBODs (Just a bunch of disks): Difficult to manage
- □ Disk Arrays: An easy to manage pool of disks with redundancy



Ref: G. Santana, "Data Center Virtualization Fundamentals," Cisco Press, 2014, ISBN:1587143240 Washington University in St. Louis http://www.cse.wustl.edu/~jain/cse570-18

Data Access Methods

Three ways for applications to access data:

- Block Access: A fixed number of bytes (block-size), e.g., 1 sector, 4 sectors, 16 sectors
- □ File Access: A set of bytes with name, creation date, and other meta data.
 - > May or may not be contiguous.
 - > A file system, such as, FAT-32 (File Allocation Table) or NTFS (New Technology File System) defines how the meta-data is stored and files are organized.
 - > File systems vary with the operating systems.
- Record Access: Used for highly structured data in databases.
 Each record has a particular format and set of fields.
 Accessed using Structured Query Language (SQL), Open DataBase Connectivity (ODBC), Java DataBase Connectivity (JDBC)
- □ Storage systems provide block access. A logical volume manager in the OS provides other "virtual" views, e.g., file or record

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/cse570-18

Benefits of Storage Virtualization

- □ Distance: Remote storage devices appear local ⇒ Much larger distances
- □ Spread: Data is spread over multiple physical disks to improve reliability and performance ⇒ Greater performance
- □ File System: Windows, Linux, and UNIX all use the same storage device ⇒ Increased disk utilization
- Higher availability with multiple access path
- ☐ Higher availability due to redundant storage
- Disaster recovery capability
- □ Virtual Interface: A SCSI disk connected to a computer with no SCSI interface
- Continuous on-line backup

Benefits of Storage Virtualization (Cont)

- Easier testing
- □ Size: Multiple smaller volume appear as a single large volume
 ⇒ Increased scalability
- □ Allows thin provisioning (Appears as if there is bigger disk than physical)

Open Virtualization Format (OVF)

- Standalone software can be distributed as a virtual machine image, called, virtual appliance
- □ Independent of hypervisor or processor architecture
- OVF is the standard format for virtual appliances
 Standardized by DMTF (Distributed Management Task Force)
 Now ISO/IEC standard.
- OVF package consists of several files in a directory. An XML file with extension .ovf or a compliant format, e.g., .vmdk in the directory contains all the meta data required to run the package, e.g., hardware requirements, descriptions, security certificates, etc.
- VMware, Microsoft, Oracle, Citrix, IBM and many others support OVF

Ref: http://en.wikipedia.org/wiki/Virtual_appliance

Ref: http://en.wikipedia.org/wiki/Open Virtualization Format

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/cse570-18

OVF (Cont)

- □ OVF V1.1.0 supports single VM packages and packages containing multiple VMs constituting a multitier service
- Other popular format are Microsoft's Virtual Hard Disk (VHD), and VMware's Virtual Machine Disk (VMDK)

Ref: http://en.wikipedia.org/wiki/VHD_%28file_format%29

Ref: http://en.wikipedia.org/wiki/VMDK



- 1. Virtualization allows computation to be done anywhere anytime on any infrastructure ⇒Easy and efficient resource scheduling and management
- 2. Servers, storage, and network all need to be virtualized
- 3. Hypervisors of type 1 run on bare metal. Type 2 require a host OS.
- 4. OVF is the standard format for virtual images

Acronyms

API Application Programming Interface

CapEx Capital Expenditure

CD Compact Disk

DMTF Distributed Management Task Force

DVD Digital Video Disk

ESX VMware Product Name

FAT File Allocation Table

FreeBSD Free Berkeley System Distribution

IEC International Electro technical Commission

ISO International Standards Organization

JBOD Just a bunch of disks

JVM Java Virtual Machine

KVM Kernel Virtual Machine

MS Microsoft

NTFS New Technology File System

Acronyms (Cont)

ODBC Open Database Connectivity

OpEx Operational Expenses

OS Operating System

OVF Open Virtualization Format

PC Personal Computer

RAID Redundant Array of Independent Disks

SCSI Small Computer Systems Interface

SMP Symmetric Multiprocessing

SQL Structured Query Language

UML User-Mode Linux

USB Universal Serial Bus

VHD Virtual Hard Disk

VM Virtual Machine

VMDK Virtual machine disk

XML eXtensible Markup Language

Reading List

- □ G. Santana, "Data Center Virtualization Fundamentals," Cisco Press, 2014, ISBN:1587143240K. Hess, A. Newman, "Practical Virtualization Solutions: Virtualization from the Trenches," Prentice Hall, 2009, ISBN:0137142978 (Safari Book)
- □ C. Scheffy, "Virtualization for Dummies," Wiley 2007, AMD Special Edition,
 http://www.amd.com/us/Documents/Virt for Dummies.pdf
- B. Golden, "Virtualization for Dummies," Wiley, 2011, HP special edition,
 https://ssl.www8.hp.com/de/de/pdf/virtuallisation_tcm_144_11
 47500.pdf

Wikipedia Links

- □ http://en.wikipedia.org/wiki/Desktop virtualization
- □ http://en.wikipedia.org/wiki/Hardware-assisted virtualization
- □ http://en.wikipedia.org/wiki/Hardware_emulation
- □ http://en.wikipedia.org/wiki/Hardware_virtualization
- □ http://en.wikipedia.org/wiki/Hypervisor
- http://en.wikipedia.org/wiki/Open_Virtualization_Format
- □ http://en.wikipedia.org/wiki/Platform virtualization
- □ http://en.wikipedia.org/wiki/VHD %28file format%29
- □ <u>http://en.wikipedia.org/wiki/VMDK</u>
- □ http://en.wikipedia.org/wiki/Operating system-level virtualization
- □ http://en.wikipedia.org/wiki/Virtual_appliance
- □ http://en.wikipedia.org/wiki/Virtual_machine
- □ http://en.wikipedia.org/wiki/Virtualbox
- □ http://en.wikipedia.org/wiki/Virtualization
- □ http://en.wikipedia.org/wiki/Windows Virtual PC
- □ <u>http://en.wikipedia.org/wiki/Xen</u>

Related Web Sites

Open Virtualization Format (OVF),

http://www.dmtf.org/standards/ovf (OVF standard documents)

Scan This to Download These Slides





Raj Jain http://rajjain.com

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/cse570-18

©2018 Raj Jain

Related Modules



CSE567M: Computer Systems Analysis (Spring 2013),

https://www.youtube.com/playlist?list=PLjGG94etKypJEKjNAa1n_1X0bWWNyZcof

CSE473S: Introduction to Computer Networks (Fall 2011),

https://www.youtube.com/playlist?list=PLjGG94etKypJWOSPMh8Azcgy5e 10TiDw





Wireless and Mobile Networking (Spring 2016),

https://www.youtube.com/playlist?list=PLjGG94etKypKeb0nzyN9tSs HCd5c4wXF

CSE571S: Network Security (Fall 2011),

 $\underline{https://www.youtube.com/playlist?list=PLjGG94etKypKvzfVtutHcPFJXumyyg93u}$





Video Podcasts of Prof. Raj Jain's Lectures,

https://www.youtube.com/user/ProfRajJain/playlists

http://www.cse.wustl.edu/~jain/cse570-18

©2018 Raj Jain