

# Introduction to Network Function Virtualization (NFV)

Raj Jain

Washington University in Saint Louis

Saint Louis, MO 63130

Jain@cse.wustl.edu

These slides and audio/video recordings of this class lecture are at:


<http://www.cse.wustl.edu/~jain/cse570-18/>



1. What is NFV?
2. NFV and SDN Relationship
3. ETSI NFV ISG Specifications
4. Concepts, Architecture, Requirements, Use cases
5. Proof-of-Concepts and Timeline


Note: This module is the 3<sup>rd</sup> in a series of modules on OpenFlow, SDN and NFV in this course.

# Four Innovations of NFV



# Network Function Virtualization (NFV)

1. Fast standard hardware  $\Rightarrow$  **Software based Devices**  
Routers, Firewalls, Broadband Remote Access Server (BRAS)  
 $\Rightarrow$  A.k.a. *white box* implementation
2. **Function Modules** (Both data plane and control plane)  
 $\Rightarrow$  DHCP (Dynamic Host control Protocol), NAT (Network Address Translation), Rate Limiting,



Ref: ETSI, "NFV – Update White Paper V3," Oct 2014, [http://portal.etsi.org/NFV/NFV\\_White\\_Paper3.pdf](http://portal.etsi.org/NFV/NFV_White_Paper3.pdf) (Must read)

Washington University in St. Louis

<http://www.cse.wustl.edu/~jain/cse570-18/>


©2018 Raj Jain

# NFV (Cont)

## 3. Virtual Machine implementation

⇒ Virtual appliances

⇒ All advantages of virtualization (quick provisioning, scalability, mobility, Reduced CapEx, Reduced OpEx, ...)



Partitioning

## 4. **Standard APIs:** New ISG (Industry Specification Group) in ETSI (European Telecom Standards Institute) set up in November 2012

# Why We need NFV?

1. **Virtualization**: Use network resource without worrying about where it is physically located, how much it is, how it is organized, etc.
2. **Orchestration**: Manage thousands of devices
3. **Programmable**: Should be able to change behavior on the fly.
4. **Dynamic Scaling**: Should be able to change size, quantity
5. **Automation**
6. **Visibility**: Monitor resources, connectivity
7. **Performance**: Optimize network device utilization
8. **Multi-tenancy**
9. **Service Integration**
10. **Openness**: Full choice of Modular plug-ins

Note: These are exactly the same reasons why we need SDN.

# NFV and SDN Relationship

- ❑ Concept of NFV originated from SDN
  - ⇒ First ETSI white paper showed overlapping Venn diagram
  - ⇒ It was removed in the second version of the white paper
- ❑ NFV and SDN are complementary.  
One does not strictly depend upon the other.  
You can do SDN only, NFV only, or SDN and NFV.
- ❑ Both have similar goals but approaches are very different.
- ❑ Management/virtualization of large networks becomes easier with SDN
- ❑ SDN needs new interfaces, control modules, applications.  
NFV requires moving network applications from dedicated hardware to virtual containers on commercial-off-the-shelf (COTS) hardware.
- ❑ NFV is present. SDN is the future.
- ❑ Multiple flavors of SDN resulting in a debate. Not much debate about NFV.


# Mobile Network Functions

- ❑ Switches, e.g., Open vSwitch
- ❑ Routers, e.g., Click
- ❑ Home Location Register (HLR),
- ❑ Serving GPRS Support Node (SGSN),
- ❑ Gateway GPRS Support Node (GGSN),
- ❑ Combined GPRS Support Node (CGSN),
- ❑ Radio Network Controller (RNC),
- ❑ Serving Gateway (SGW),
- ❑ Packet Data Network Gateway (PGW),
- ❑ Residential Gateway (RGW),
- ❑ Broadband Remote Access Server (BRAS),
- ❑ Carrier Grade Network Address Translator (CGNAT),
- ❑ Deep Packet Inspection (DPI),
- ❑ Provider Edge (PE) Router,
- ❑ Mobility Management Entity (MME),
- ❑ Element Management System (EMS)




# VNF

- ❑ **NFV Infrastructure (NFVI):** Hardware and software required to deploy, manage and execute VNFs
- ❑ **Network Function (NF):** Functional building block with a well defined interfaces and well defined functional behavior
- ❑ **Virtualized Network Function (VNF):** Software implementation of NF that can be deployed in a virtualized infrastructure
- ❑ **Container:** VNF is independent of NFVI but needs a container software on NFVI to be able to run on different hardwares



# NFV Concepts

- ❑ **Containers Types:** Related to Computation, Networking, Storage
- ❑ **VNF Components (VNFC):** A VNF may have one or more components
- ❑ **VNF Set:** Connectivity between VNFs is not specified, e.g., residential gateways
- ❑ **VNF Forwarding Graph:** Service chain when network connectivity order is important, e.g., firewall, NAT, load balancer



Ref: ETSI, "Architectural Framework," 2015 , [http://www.etsi.org/deliver/etsi\\_gs/NFV/001\\_099/002/01.02.01\\_60/gs\\_NFV002v010201p.pdf](http://www.etsi.org/deliver/etsi_gs/NFV/001_099/002/01.02.01_60/gs_NFV002v010201p.pdf)

Ref: ETSI, "NFV Terminology for Main Concepts in NFV," 2015,


[http://www.etsi.org/deliver/etsi\\_gs/NFV/001\\_099/003/01.02.01\\_60/gs\\_NFV003v010201p.pdf](http://www.etsi.org/deliver/etsi_gs/NFV/001_099/003/01.02.01_60/gs_NFV003v010201p.pdf)  
<http://www.cse.wustl.edu/~jain/cse570-18/>

Washington University in St. Louis

©2018 Raj Jain

# Network Forwarding Graph

- An end-to-end service may include nested forwarding graphs



Ref: ETSI, "Architectural Framework," 2015, |

[http://www.etsi.org/deliver/etsi\\_gs/NFV/001\\_099/002/01.02.01\\_60/gs\\_NFV002v010201p.pdf](http://www.etsi.org/deliver/etsi_gs/NFV/001_099/002/01.02.01_60/gs_NFV002v010201p.pdf)

Washington University in St. Louis

<http://www.cse.wustl.edu/~jain/cse570-18/>

©2018 Raj Jain

# NFV Concepts (Cont)

- ❑ **NFVI Point of Presence (PoP):** Location of NFVI
- ❑ **NFVI-PoP Network:** Internal network
- ❑ **Transport Network:** Network connecting a PoP to other PoPs or external networks
- ❑ **VNF Manager:** VNF lifecycle management e.g., instantiation, update, scaling, query, monitoring, fault diagnosis, healing, termination
- ❑ **Virtualized Infrastructure Manager:** Management of computing, storage, network, software resources
- ❑ **Network Service:** A composition of network functions and defined by its functional and behavioral specification
- ❑ **NFV Service:** A network services using NFs with at least one VNF.

# NFV Concepts (Cont)

- ❑ **User Service:** Services offered to end users/customers/subscribers.
- ❑ **Deployment Behavior:** NFVI resources that a VNF requires, e.g., Number of VMs, memory, disk, images, bandwidth, latency
- ❑ **Operational Behavior:** VNF instance topology and lifecycle operations, e.g., start, stop, pause, migration, ...
- ❑ **VNF Descriptor:** Deployment behavior + Operational behavior
- ❑ **NFV Orchestrator:** Automates the deployment, operation, management, coordination of VNFs and NFVI.
- ❑ **VNF Forwarding Graph:** Connection topology of various NFs of which at least one is a VNF

# NFV Reference Points

Reference Point: Points for inter-module specification

1. Virtualization Layer-Hardware Resources (**VI-Ha**)
2. VNF – NFVI (**Vn-Nf**)
3. Orchestrator – VNF Manager (**Or-Vnfm**)
4. Virtualized Infrastructure Manager – VNF Manager (**Vi-Vnfm**)
5. Orchestrator – Virtualized Infrastructure Manager (**Or-Vi**)
6. NFVI-Virtualized Infrastructure Manager (**Nf-Vi**)
7. Operation Support System (OSS)/Business Support Systems (BSS) – NFV Management and Orchestration (**Os-Ma**)
8. VNF/ Element Management System (EMS) – VNF Manager (**Ve-Vnfm**)
9. Service, VNF and Infrastructure Description – NFV Management and Orchestration (**Se-Ma**): VNF Deployment template, VNF Forwarding Graph, service-related information, NFV infrastructure information


Ref: ETSI, “Architectural Framework,” 2015, [http://www.etsi.org/deliver/etsi\\_gs/NFV/001\\_099/002/01.02.01\\_60/gs\\_NFV002v010201p.pdf](http://www.etsi.org/deliver/etsi_gs/NFV/001_099/002/01.02.01_60/gs_NFV002v010201p.pdf)

Washington University in St. Louis

<http://www.cse.wustl.edu/~jain/cse570-18/>

©2018 Raj Jain

# NFV Architecture



Ref: ETSI, "Architectural Framework," 2015,

[http://www.etsi.org/deliver/etsi\\_gs/NFV/001\\_099/002/01.02.01\\_60/gs\\_NFV002v010201p.pdf](http://www.etsi.org/deliver/etsi_gs/NFV/001_099/002/01.02.01_60/gs_NFV002v010201p.pdf)

Washington University in St. Louis

<http://www.cse.wustl.edu/~jain/cse570-18/>

©2018 Raj Jain

# NFV Framework Requirements

1. **General:** Partial or full Virtualization, Predictable performance
2. **Portability:** Decoupled from underlying infrastructure
3. **Performance:** as described and facilities to monitor
4. **Elasticity:** Scalable to meet SLAs. Movable to other servers.
5. **Resiliency:** Be able to recreate after failure.  
Specified packet loss rate, calls drops, time to recover, etc.
6. **Security:** Role-based authorization, authentication
7. **Service Continuity:** Seamless or non-seamless continuity after failures or migration

Ref: ETSI, “NFV Virtualization Requirements,” 2015,

[http://www.etsi.org/deliver/etsi\\_gs/NFV/001\\_099/004/01.01.01\\_60/gs\\_NFV004v010101p.pdf](http://www.etsi.org/deliver/etsi_gs/NFV/001_099/004/01.01.01_60/gs_NFV004v010101p.pdf)

Washington University in St. Louis

<http://www.cse.wustl.edu/~jain/cse570-18/>

©2018 Raj Jain



## NFV Framework Requirements (Cont)

8. **Service Assurance:** Time stamp and forward copies of packets for Fault detection
9. **Energy Efficiency Requirements:** Should be possible to put a subset of VNF in a power conserving sleep state
10. **Transition:** Coexistence with Legacy and Interoperability among multi-vendor implementations
11. **Service Models:** Operators may use NFV infrastructure operated by other operators

# NFV Use Cases

- ❑ **Home Environment:** Virtualization of the Home environment
- ❑ **CDNS:** Virtualization of Content Distribution Networks
- ❑ **Fixed Access Network:** Fixed Access NFV
- ❑ **NFVIaaS:** NFVI as a service like IaaS
- ❑ **VNFaaS:** VNFs as a service like SaaS
- ❑ **VNPaaS:** Virtual Network Platform as a Service like PaaS
- ❑ **VNF Forwarding Graph:** VNF forwarding graphs (Service Chains)
- ❑ **Mobile Core and IMS:** Virtualization of the Mobile Core Network and IP Multimedia System
- ❑ **Mobile Base Station:** Virtualization of Mobile Base Station


Ref: ETSI, "NFV Use Cases," [http://www.etsi.org/deliver/etsi\\_gs/NFV/001\\_099/001/01.01.01\\_60/gs\\_NFV001v010101p.pdf](http://www.etsi.org/deliver/etsi_gs/NFV/001_099/001/01.01.01_60/gs_NFV001v010101p.pdf)

Washington University in St. Louis

<http://www.cse.wustl.edu/~jain/cse570-18/>

©2018 Raj Jain

# ETSI NFV ISG



- ❑ Industry Specification Group (ISG)'s goal is to define the requirements.
- ❑ Four Working Groups:
  - **INF**: Architecture for the virtualization Infrastructure
  - **MANO**: Management and orchestration
  - **SWA**: Software architecture
  - **REL**: Reliability and Availability, resilience and fault tolerance

Ref: M. Cohn, "NFV, An Insider's Perspective: Part 1: Goals, History, and Promise," Sep 2013,

<http://www.sdncentral.com/education/nfv-insiders-perspective-part-1-goals-history-promise/2013/09/>

Washington University in St. Louis

<http://www.cse.wustl.edu/~jain/cse570-18/>

©2018 Raj Jain

# ETSI NFV ISG (Cont)

- Two Expert Groups:
  - **Security** Expert Group: Security
  - **Performance and Portability** Expert Group: Scalability, efficiency, and performance VNFs relative to current dedicated hardware

# ETSI NFV Release 2.0

- ❑ 2015-2016. INF, SWA disbanded. Several new groups.
- ❑ IFA: Interfaces and Architecture
  - Fault, performance, and lifecycle management of virtualized resources, VNFs, and network services
  - Package and software image management
  - Capacity management, Policy Management
  - Information models
- ❑ REL: Reliability and Availability, resilience and fault tolerance
- ❑ SEC: Security analysis and management
- ❑ EVE: Evolution and Ecosystem working group
  - Charging, Billing, and Accounting, License Management
- ❑ TST: Testing, DevOps, Continuous Integration

# ETSI NFV Release 3

- ❑ 2017-2018
- ❑ IFA, EVE, REL, SEC, and TST continue

# NFV Proof of Concepts (PoCs)

ETSI has formed and NFV ISG PoC Forum.

Following modules have been demoed:

1. Virtual Broadband Remote Access Server (BRAS) by British Telecom
2. Virtual IP Multimedia System (IMS) by Deutsche Telekom
3. Virtual Evolved Packet Core (vEPC) by Orange Silicon Valley
4. Carrier-Grade Network Address Translator (CGNAT) and Deep Packet Inspection (DPI), Home Gateway by Telefonica
5. Perimeta Session Border Controller (SBC) from Metaswitch
6. Deep packet inspection from Procera


Most of these are based on Cloud technologies, e.g., OpenStack

Ref: M. Cohn, "NFV Group Flocks to Proof-of-Concept Demos," Aug 2013,

<http://www.sdncentral.com/technology/nfv-group-flocks-to-proof-of-concept-models/2013/08/>

# OPNFV

- ❑ Open Source NFV implementation project under Linux Foundation (Similar to OpenDaylight)
- ❑ Founded September 2014
- ❑ Initial goal to integrate KVM, OpenStack, and OpenDaylight
- ❑ Integrated project will be run through software testing labs at service providers



Ref: K. Gray and T. Dadeau, "Network Function Virtualization," Morgan Kaufmann, July 2016, 270 pp., ISBN:0128021195

Washington University in St. Louis


<http://www.cse.wustl.edu/~jain/cse570-18/>

©2018 Raj Jain



# Service Chaining in a Multi-Cloud Multi-Tenant Environment

- ❑ VNFs (Virtual network fns) belong to tenants. Multiple tenants.
- ❑ Each Cloud belongs to a different Cloud Service Provider (CSP)
- ❑ Internet infrastructure belongs to an NFVI service provider (NSP)
- ❑ Service chain = Workflow



# Challenges in Service Chaining

## ❑ **Dynamic:**

- Forwarding changes with state of the servers, links, ...
- Independent of physical topology

## ❑ **Content sensitive:**

- Different for different types of videos, read-writes, ...

## ❑ **Distributed Control:**

- Equipment belongs to infrastructure provider
- Data belongs to Tenants

## ❑ **Massive Scale:**


- Billions of users with different user context

## ❑ **Stateful Services:**

- All packets of a flow should be sent to the same replica
  - ❑ Message level services (firewalls),
  - ❑ Packet level services (intrusion detection)

# Service Function Chaining Terminology

- ❑ Defined by IETF SFC Working group
- ❑ **Service**: E.g., Video streaming. Consists of a number of functions.
- ❑ **Service Function**: E.g., Firewall, Compression, Video Translation




Ref: RFC 7498, "Problem Statement for Service Function Chaining," Nov. 2015, <https://www.rfc-editor.org/rfc/pdf/rfc7498.txt.pdf>  
Washington University in St. Louis <http://www.cse.wustl.edu/~jain/cse570-18/> ©2018 Raj Jain

# SFC Terminology (Cont)

- ❑ **Service Function Chain:** A forwarding graph
- ❑ A service function may have more than one instance.
- ❑ Number and location of instances changes with time
- ❑ All packets of a flow should be forwarded to the same instance
- ❑ **Service Function Path (SFP):** A sequence of service functions for a particular service
- ❑ **Network Service Header (NSH):** Added to forward packets dynamically to correct instances of the service function
- ❑ **Service Function Forwarder (SFF):** Forwards the packets to correct instance using NSH. May add/delete NSH if needed.
- ❑ **Proxy:** Helps use legacy functions. Removes/Adds NSH header before sending the packet to SFC unaware functions.

# SFC Terminology (Cont)


- ❑ Transport: Between the SFFs, SFs, and Proxies. E.g., Ethernet, GRE, VXLAN, TCP, ...
- ❑ NSH encapsulated packet is sent using the transport header to the next SFC element.



- ❑ **Metadata:** Data passed between SFC elements. Part of the NSH
- ❑ **Service Path Identifier (SPI):** A service function path may have many instances. Each instance has a SPI.
- ❑ **Service Index:** Each function on the SFP has a service index.

# Network Service Header

- Consists of “*base header*”, “*service path header*”, and zero or more “*context headers*.”



Ref: RFC 8300, “Network Service Header (NSH),” July 2017, <https://www.rfc-editor.org/rfc/pdf/rfc8300.txt.pdf>

Washington University in St. Louis

<http://www.cse.wustl.edu/~jain/cse570-18/>

©2018 Raj Jain

# NSH (Cont)

- ❑ TTL: # of SFC hops to live
- ❑ Length: Total length of NSH header including base, service path, and context headers in bytes
- ❑ MD Type: Type of the metadata (context header)
  - 1 = Fixed length
  - 2 = Variable length


# SPRING

- ❑ Source Packet Routing in Networking – An IETF working group
- ❑ NSH requires maintaining state in all SFFs
- ❑ Source routing is an alternative in which no state is maintained in the intermediate nodes. The packet header contains the route.
- ❑ Source routing is limited to IP addresses
- ❑ Segment Routing = Generalization of source routing
  - MPLS Label = Segment
  - IP address = Segment
- ❑ Differentiate between elephant storage flows and mice compute flows
- ❑ Although SPRING working group is not for NFV, Segment routing can be used for Service Function Chaining

Ref: Source packet Routing in Networking (spring), <https://datatracker.ietf.org/wg/spring/about/>  
<http://www.cse.wustl.edu/~jain/cse570-18/>



# Management and Orchestration (MANO)



Ref: ETSI, "Architectural Framework," 2015,

[http://www.etsi.org/deliver/etsi\\_gs/NFV/001\\_099/002/01.02.01\\_60/gs\\_NFV002v010201p.pdf](http://www.etsi.org/deliver/etsi_gs/NFV/001_099/002/01.02.01_60/gs_NFV002v010201p.pdf)


Washington University in St. Louis

<http://www.cse.wustl.edu/~jain/cse570-18/>

©2018 Raj Jain

# MANO (Cont)

- ❑ Operation Support System (OSS)
- ❑ Business Support System (BSS)
- ❑ Element Management System, VNF Management, Infrastructure Management, Orchestration



Ref: Ken Gray and Thomas Nadeau, "Network Function Virtualization," Morgan Kaufmann, July 2016, 238 pp., ISBN: 978-0-12-802119-4, (Safari Book)

# NGOSS

- ❑ Next Generation OSS
- ❑ Service providers have many different OSSs  
Mostly using polling/event monitoring  
All proprietary and often incompatible  $\Rightarrow$  High OpEx
- ❑ Next Generation OSS (NGOSS) being discussed in  
TeleManagement Forum (TM Forum)
- ❑ Enhanced Telecom Operations Map (eTOM): Common  
language for service providers to describe business processes
- ❑ Shared Information/Data Model (SID): Common language for  
vendors to describe management information
- ❑ Technology Neutral Architecture (TNA) and Contract Interface
- ❑ NGOSS Compliance: A Suite of tests

Ref: “NGOSS (New Generation Operations Systems and Software),” <http://dpm.postech.ac.kr/NGOSS/NGOSS.html>

# Open Source MANO Implementations

- ❑ **Open-O**: Linux Foundation project for open orchestration
- ❑ **ECOMP**: Linux Foundation project for Enhanced Control, Orchestration, Management, and Policy (Led by AT&T)
- ❑ **ONAP**: Open Network Automation Platform  
Open-O and ECOMP merged at Linux Foundation
- ❑ **TACKER**: OpenStack project for NFV orchestration
- ❑ **Open Source MANO (OSM)**: ETSI effort started by Telefonica in 2015
- ❑ **Open Baton**: Closely follows ETSI MANO
- ❑ Most of these use TOSCA templates

Ref: <https://wiki.open-o.org/>, <https://about.att.com/content/dam/snrdocs/ecomp.pdf>, <https://www.onap.org/>,  
<https://wiki.openstack.org/wiki/Tacker>, <http://www.etsi.org/technologies-clusters/technologies/nfv/open-source-mano>,  
<https://openbaton.github.io/>

# TOSCA

- ❑ Topology and Orchestration Specification for Cloud Applications
- ❑ TOSCA template for an application describes the resources required to run the application on a cloud
- ❑ Resources can be compute, network, storage, databases, etc.
- ❑ TOSCA template includes a graph modeling the relationships between various components and operations on them
- ❑ Orchestration engines can use the TOSCA template to create an instance of the application. Resources required are also created in correct order. For example, a database will be created before the program that needs it, etc.

Ref: OASIS, "TOSCA Simple Profile in YAML Version 1.1," Jan 2018, 282 pp.,

<http://docs.oasis-open.org/tosca/TOSCA-Simple-Profile-YAML/v1.1/os/TOSCA-Simple-Profile-YAML-v1.1-os.pdf>

# Any Function Virtualization (FV)

- ❑ Network function virtualization of interest to Network service providers
- ❑ But the same concept can be used by any other industry, e.g., financial industry, banks, stock brokers, retailers, mobile games, ...
- ❑ Everyone can benefit from:
  - Functional decomposition of there industry
  - Virtualization of those functions
  - Service chaining those virtual functions (VFs)  
⇒ A service provided by the next gen ISPs


# Enterprise App Market: Lower CapEx

Virtual IP  
Multimedia  
System

Available on the  
**App Store**



# Summary



1. NFV aims to reduce OpEx by automation and scalability provided by implementing network functions as virtual appliances
2. NFV allows all benefits of virtualization and cloud computing including orchestration, scaling, automation, hardware independence, pay-per-use, fault-tolerance, ...
3. NFV and SDN are independent and complementary. You can do either or both.
4. NFV requires standardization of reference points and interfaces to be able to mix and match VNFs from different sources
5. NFV can be done now. Several of virtual functions have already been demonstrated by carriers.



# Reading List

- ❑ Ken Gray and Thomas Nadeau, “Network Function Virtualization,” Morgan Kaufmann, July 2016, 238 pp., ISBN: 978-0-12-802119-4, (Safari Book) – **Recommended Reading**
- ❑ Jim Doherty, "SDN and NFV Simplified: A Visual Guide to Understanding Software Defined Networks and Network Function Virtualization," Addison-Wesley Professional, March 2, 2016, 320 pp., ISBN:978-0-13-430739-8 (Safari Book).
- ❑ Ying Zhang, "Network Function Virtualization," Wiley-IEEE Press, January 2018, 192 pp., ISBN:978-1-119-39060-2 (Safari Book).
- ❑ Rajendra Chayapathi, Syed Farrukh Hassan, Paresh Shah, "Network Functions Virtualization (NFV) with a Touch of SDN," Addison-Wesley Professional, November 2016, 368 pp., ISBN:978-0-13-446431-2 (Safari Book).
- ❑ Russ White, Jeff Tantsura, "Navigating Network Complexity: Next-generation Routing with SDN, Service Virtualization, and Service Chaining," Addison-Wesley Professional, November 2015, 320 pp., ISBN:0-13-398792-2 (Safari Book).

# References

- ❑ ETSI, "Architectural Framework," 2015 ,  
[http://www.etsi.org/deliver/etsi\\_gs/NFV/001\\_099/002/01.02.01\\_60/gs\\_NFV002v010201p.pdf](http://www.etsi.org/deliver/etsi_gs/NFV/001_099/002/01.02.01_60/gs_NFV002v010201p.pdf)
- ❑ ETSI, "NFV - Update White Paper V3," Oct 2014,  
[http://portal.etsi.org/NFV/NFV\\_White\\_Paper3.pdf](http://portal.etsi.org/NFV/NFV_White_Paper3.pdf) (Must read)
- ❑ ETSI, "White Paper on NFV priorities for 5G," Feb 2017, 15 pp.,  
[http://portal.etsi.org/NFV/NFV\\_White\\_Paper\\_5G.pdf](http://portal.etsi.org/NFV/NFV_White_Paper_5G.pdf)
- ❑ ETSI, "NFV Terminology for Main Concepts in NFV," 2015,  
[http://www.etsi.org/deliver/etsi\\_gs/NFV/001\\_099/003/01.02.01\\_60/gs\\_NFV003v010201p.pdf](http://www.etsi.org/deliver/etsi_gs/NFV/001_099/003/01.02.01_60/gs_NFV003v010201p.pdf)
- ❑ ETSI Specifications, see the public download directory at  
[https://docbox.etsi.org/ISG/NFV/Open/Publications\\_pdf/Specs-Reports](https://docbox.etsi.org/ISG/NFV/Open/Publications_pdf/Specs-Reports)

# Acronyms

- ❑ API            Application Programming Interface
- ❑ BRAS        Broadband Remote Access Server
- ❑ BSS         Business Support Systems
- ❑ CapEx      Capital Expenditure
- ❑ CDN         Content Distribution Network
- ❑ CGNAT     Carrier-Grade Network Address Translator
- ❑ CGSN      Combined GPRS Support Node
- ❑ COTS        Commercial-off-the-shelf
- ❑ DDIO       Data Direct I/O Technology
- ❑ DHCP       Dynamic Host control Protocol
- ❑ DPI         Deep Packet Inspection
- ❑ EMS        Element Management System
- ❑ ETSI        European Telecom Standards Institute
- ❑ GGSN      Gateway GPRS Support Node
- ❑ GPRS       General Packet Radio Service
- ❑ HLR        Home Location Register
- ❑ IaaS        Infrastructure as a Service

# Acronyms (Cont)

- ❑ IETF Internet Engineering Task Force
- ❑ IMS IP Multimedia System
- ❑ INF Architecture for the virtualization Infrastructure
- ❑ IP Internet Protocol
- ❑ ISG Industry Specification Group
- ❑ LSP Label Switched Path
- ❑ MANO Management and orchestration
- ❑ MME Mobility Management Entity
- ❑ NAT Network Address Translation
- ❑ NF Network Function
- ❑ NFV Network Function Virtualization
- ❑ NFVI Network Function Virtualization Infrastructure
- ❑ NFVIaaS NFVI as a Service
- ❑ NIC Network Interface Card
- ❑ OpEx Operational Expences
- ❑ OS Operating System

# Acronyms (Cont)

- ❑ OSS                    Operation Support System
- ❑ PaaS                   Platform as a Service
- ❑ PE                      Provider Edge
- ❑ PGW                    Packet Data Network Gateway
- ❑ PoC                     Proof-of-Concept
- ❑ PoP                     Point of Presence
- ❑ PSTN                    Public Switched Telephone Network
- ❑ QoS                     Quality of Service
- ❑ REL                     Reliability, Availability, resilience and fault tolerance group
- ❑ RGW                    Residential Gateway
- ❑ RNC                     Radio Network Controller
- ❑ SaaS                    Software as a Service
- ❑ SBC                     Session Border Controller
- ❑ SDN                     Software Defined Networking
- ❑ SGSN                    Serving GPRS Support Node
- ❑ SGW                     Serving Gateway

# Acronyms (Cont)

- ❑ SIP                      Session Initiation Protocol
- ❑ SLA                     Service Level Agreement
- ❑ SWA                    Software architecture
- ❑ TAS                    Telephony Application Server
- ❑ TMF                    TM Forum
- ❑ vEPC                  Virtual Evolved Packet Core
- ❑ VM                     Virtual Machine
- ❑ VNF                    Virtual Network Function
- ❑ VNFaaS               VNF as a Service
- ❑ vSwitch               Virtual Switch
- ❑ VT-d                    Virtualization Technology for Direct IO
- ❑ VT-x                    Virtualization Technology

**Scan This to Download These Slides**



Raj Jain

<http://rajjain.com>

# Related Modules



CSE567M: Computer Systems Analysis (Spring 2013),

[https://www.youtube.com/playlist?list=PLjGG94etKypJEKjNAa1n\\_1X0bWWNyZcof](https://www.youtube.com/playlist?list=PLjGG94etKypJEKjNAa1n_1X0bWWNyZcof)

CSE473S: Introduction to Computer Networks (Fall 2011),

[https://www.youtube.com/playlist?list=PLjGG94etKypJWOSPMh8Azcg5e\\_10TiDw](https://www.youtube.com/playlist?list=PLjGG94etKypJWOSPMh8Azcg5e_10TiDw)



Wireless and Mobile Networking (Spring 2016),

[https://www.youtube.com/playlist?list=PLjGG94etKypKeb0nzyN9tSs\\_HCd5c4wXF](https://www.youtube.com/playlist?list=PLjGG94etKypKeb0nzyN9tSs_HCd5c4wXF)

CSE571S: Network Security (Fall 2011),

<https://www.youtube.com/playlist?list=PLjGG94etKypKvzfVtutHcPFJXumyyg93u>



Video Podcasts of Prof. Raj Jain's Lectures,

<https://www.youtube.com/channel/UCN4-5wzNP9-ruOzQMs-8NUw>