# The Art of Workload Selection



- Services Exercised
  - > Example: Timesharing Systems
  - > Example: Networks
  - > Example: Magnetic Tape Backup System
- Level of Detail
- Representativeness
- Timeliness
- Other Considerations in Workload Selection

©2010 Raj Jain www.rajjain.com

#### The Art of Workload Selection


#### **Considerations:**

- Services exercised
- □ Level of detail
- □ Loading level
- □ Impact of other components
- □ Timeliness

©2010 Raj Jain www.rajjain.com

### **Services Exercised**

- □ SUT = System Under Test
- □ CUS = Component Under Study




©2010 Rai Jain www.raijain.com

## **Services Exercised (Cont)**


- Do not confuse SUT w CUS
- Metrics depend upon SUT: MIPS is ok for two CPUs but not for two timesharing systems.
- Workload: depends upon the system.
- Examples:
  - > CPU: instructions
  - > System: Transactions
  - > Transactions not good for CPU and vice versa
  - > Two systems identical except for CPU
    - Comparing Systems: Use transactions
    - □ Comparing CPUs: Use instructions
  - > Multiple services: Exercise as complete a set of services as possible.

## **Example: Timesharing Systems**



- Applications
  - ⇒ Application benchmark
- Operating System
  - ⇒ Synthetic Program
- Central Processing Unit
  - ⇒ Instruction Mixes
- □ Arithmetic Logical Unit
  - ⇒ Addition instruction

# **Example: Networks**



## **Example: Magnetic Tape Backup System**

- Backup System:
  - > Services: Backup files, backup changed files, restore files, list backed-up files.
  - > Factors: File-system size, batch or background process, incremental or full backups.
  - > Metrics: Backup time, restore time.
  - > Workload: A computer system with files to be backed up. Vary frequency of backups.
- □ Tape Data System:
  - > Services: Read/write to the tape, read tape label, auto load tapes.
  - > Factors: Type of tape drive.
  - > Metrics: Speed, reliability, time between failures.
  - > Workload: A synthetic program generating representative tape I/O requests.

©2010 Rai Jain www.raiiain.com

## Magnetic Tape System (Cont)

- □ Tape Drives:
  - > Services: Read record, write record, rewind, find record, move to end of tape, move to beginning of tape.
  - > Factors: Cartridge or reel tapes, drive size.
  - > Metrics: Time for each type of service, for example, time to read record and to write record, speed (requests/time), noise, power dissipation.
  - > Workload: A synthetic program exerciser generating various types of requests in a representative manner.
- Read/Write Subsystem:
  - > Services: Read data, write data (as digital signals).
  - > Factors: Data-encoding technique, implementation technology (CMOS, TTL, and so forth).
  - > Metrics: Coding density, I/O bandwidth (bits per second).

## **Magnetic Tape System (Cont)**

> Workload: Read/write data streams with varying patterns of bits.

- > Read/Write Heads:
  - □ Services: Read signal, write signal (electrical signals).
  - □ Factors: Composition, inter-head spacing, gap sizing, number of heads in parallel.
  - □ Metrics: Magnetic field strength, hysteresis.
  - □ Workload: Read/write currents of various amplitudes, tapes moving at various speeds.

#### **Level of Detail**

- Most frequent request:
  - > Examples: Addition Instruction, Debit-Credit, Kernels
  - > Valid if one service is much more frequent than others
- □ Frequency of request types
  - > Examples: Instruction mixes
  - $\gt$  Context sensitivity  $\Rightarrow$  Use set of services
  - ➤ History-sensitive mechanisms (caching) ⇒ Context sensitivity
- □ Time-stamped sequence of requests
  - > May be too detailed
  - > Not convenient for analytical modeling
  - > May require exact reproduction of component behavior

## **Level of Detail (Cont)**

- Average resource demand
  - > Used for analytical modeling
  - > Grouped similar services in classes
- Distribution of resource demands
  - > Used if variance is large
  - > Used if the distribution impacts the performance
- Workload used in simulation and analytical modeling:
  - > Non executable: Used in analytical/simulation modeling
  - > Executable workload: can be executed directly on a system

## Representativeness

The test workload and real workload should have the same:

- □ Elapsed Time
- Resource Demands
- Resource Usage Profile: Sequence and the amounts in which different resources are used.

#### **Timeliness**

- □ Users are a moving target.
- $\square$  New systems  $\Rightarrow$  new workloads
- □ Users tend to optimize the demand.
- □ Fast multiplication ⇒ Higher frequency of multiplication instructions.
- ☐ Important to monitor user behavior on an ongoing basis.

#### Other Considerations in Workload Selection

- Loading Level: A workload may exercise a system to its:
  - > Full capacity (best case)
  - > Beyond its capacity (worst case)
  - > At the load level observed in real workload (typical case).
  - > For procurement purposes  $\Rightarrow$  Typical
  - $\triangleright$  For design  $\Rightarrow$  best to worst, all cases
- Impact of External Components:
  - ➤ Do not use a workload that makes external component a bottleneck ⇒ All alternatives in the system give equally good performance.
- Repeatability



- □ Services exercised determine the workload
- Level of detail of the workload should match that of the model being used
- Workload should be representative of the real systems usage in recent past
- Loading level, impact of external components, and repeatability or other criteria in workload selection

©2010 Raj Jain www.rajjain.com

#### Exercise 5.1

- What metric and workload would you choose to compare:
  - a. Two systems with similar functionality: IBM PC versus MAC
  - b. Two systems for very different applications: PC versus Workstations
  - c. Two systems with identical functionality: IBM PC versus Dell PC
  - d. Two versions of the same operating systems: Windows 98 vs Windows XP
  - e. Two hardware components: Two floppy drives
  - f. Two languages: C vs. Pascal

One metric and one workload is sufficient

#### Exercise 5.2

□ Select an area of computer systems, for example, databases, networks, processors, and so on. Prepare a table identifying increasing levels of services, components, factors, and workloads.

## **Homework**

- □ Read chapters 4 and 5
- □ Submit answer to Exercise 5.1