

# **The Art of Workload Selection**



- ❑ Services Exercised
  - Example: Timesharing Systems
  - Example: Networks
  - Example: Magnetic Tape Backup System
- ❑ Level of Detail
- ❑ Representativeness
- ❑ Timeliness
- ❑ Other Considerations in Workload Selection


# The Art of Workload Selection

## Considerations:

- ☐ Services exercised
- ☐ Level of detail
- ☐ Loading level
- ☐ Impact of other components
- ☐ Timeliness

# Services Exercised


- ❑ SUT = System Under Test
- ❑ CUS = Component Under Study



## Services Exercised (Cont)


- ❑ Do not confuse SUT w CUS
- ❑ Metrics depend upon SUT: MIPS is ok for two CPUs but not for two timesharing systems.
- ❑ Workload: depends upon the system.
- ❑ Examples:
  - CPU: instructions
  - System: Transactions
  - Transactions not good for CPU and vice versa
  - Two systems identical except for CPU
    - ❑ Comparing Systems: Use transactions
    - ❑ Comparing CPUs: Use instructions
  - Multiple services: Exercise as complete a set of services as possible.

# Example: Timesharing Systems



- Applications  
⇒ Application benchmark
- Operating System  
⇒ Synthetic Program
- Central Processing Unit  
⇒ Instruction Mixes
- Arithmetic Logical Unit  
⇒ Addition instruction

# Example: Networks



# Example: Magnetic Tape Backup System

## □ Backup System:

- Services: Backup files, backup changed files, restore files, list backed-up files.
- Factors: File-system size, batch or background process, incremental or full backups.
- Metrics: Backup time, restore time.
- Workload: A computer system with files to be backed up. Vary frequency of backups.

## □ Tape Data System:

- Services: Read/write to the tape, read tape label, auto load tapes.
- Factors: Type of tape drive.
- Metrics: Speed, reliability, time between failures.
- Workload: A synthetic program generating representative tape I/O requests.



# Magnetic Tape System (Cont)

## □ Tape Drives:

- Services: Read record, write record, rewind, find record, move to end of tape, move to beginning of tape.
- Factors: Cartridge or reel tapes, drive size.
- Metrics: Time for each type of service, for example, time to read record and to write record, speed (requests/time), noise, power dissipation.
- Workload: A synthetic program exerciser generating various types of requests in a representative manner.

## □ Read/Write Subsystem:

- Services: Read data, write data (as digital signals).
- Factors: Data-encoding technique, implementation technology (CMOS, TTL, and so forth).
- Metrics: Coding density, I/O bandwidth (bits per second).

# Magnetic Tape System (Cont)

- Workload: Read/write data streams with varying patterns of bits.
- Read/Write Heads:
  - ❑ Services: Read signal, write signal (electrical signals).
  - ❑ Factors: Composition, inter-head spacing, gap sizing, number of heads in parallel.
  - ❑ Metrics: Magnetic field strength, hysteresis.
  - ❑ Workload: Read/write currents of various amplitudes, tapes moving at various speeds.

# Level of Detail

- ❑ Most frequent request:
  - Examples: Addition Instruction, Debit-Credit, Kernels
  - Valid if one service is much more frequent than others
- ❑ Frequency of request types
  - Examples: Instruction mixes
  - Context sensitivity  $\Rightarrow$  Use set of services
  - History-sensitive mechanisms (caching)  $\Rightarrow$  Context sensitivity
- ❑ Time-stamped sequence of requests
  - May be too detailed
  - Not convenient for analytical modeling
  - May require exact reproduction of component behavior

## Level of Detail (Cont)

- ❑ Average resource demand
  - Used for analytical modeling
  - Grouped similar services in classes
- ❑ Distribution of resource demands
  - Used if variance is large
  - Used if the distribution impacts the performance
- ❑ Workload used in simulation and analytical modeling:
  - Non executable: Used in analytical/simulation modeling
  - Executable workload: can be executed directly on a system

# Representativeness

The test workload and real workload should have the same:

- ❑ Elapsed Time
- ❑ Resource Demands
- ❑ Resource Usage Profile: Sequence and the amounts in which different resources are used.


# Timeliness

- ❑ Users are a moving target.
- ❑ New systems  $\Rightarrow$  new workloads
- ❑ Users tend to optimize the demand.
- ❑ Fast multiplication  $\Rightarrow$  Higher frequency of multiplication instructions.
- ❑ Important to monitor user behavior on an ongoing basis.

## Other Considerations in Workload Selection

- ❑ Loading Level: A workload may exercise a system to its:
  - Full capacity (best case)
  - Beyond its capacity (worst case)
  - At the load level observed in real workload (typical case).
  - For procurement purposes  $\Rightarrow$  Typical
  - For design  $\Rightarrow$  best to worst, all cases
- ❑ Impact of External Components:
  - Do not use a workload that makes external component a bottleneck  $\Rightarrow$  All alternatives in the system give equally good performance.
- ❑ Repeatability

# Summary



- ❑ Services exercised determine the workload
- ❑ Level of detail of the workload should match that of the model being used
- ❑ Workload should be representative of the real systems usage in recent past
- ❑ Loading level, impact of external components, and repeatability or other criteria in workload selection



## Exercise 5.1

- ❑ What metric and workload would you choose to compare:
    - a. Two systems with similar functionality: IBM PC versus MAC
    - b. Two systems for very different applications: PC versus Workstations
    - c. Two systems with identical functionality: IBM PC versus Dell PC
    - d. Two versions of the same operating systems: Windows 98 vs Windows XP
    - e. Two hardware components: Two floppy drives
    - f. Two languages: C vs. Pascal
- One metric and one workload is sufficient

## Exercise 5.2

- ❑ Select an area of computer systems, for example, databases, networks, processors, and so on. Prepare a table identifying increasing levels of services, components, factors, and workloads.

# Homework

- ☐ Read chapters 4 and 5
- ☐ Submit answer to Exercise 5.1